

केन्द्रीय माध्यमिक शिक्षा बोर्ड

(मानव संसाधन विकास मंत्रालय, भारत सरकार के अधीन एक स्वायत्त संगठन)

CENTRAL BOARD OF SECONDARY EDUCATION

(An Autonomous Organisation under the Ministry of Human Resource Development, Govt. of India)

APPENDIX - IX


Mandatory Public Disclosure

A: GENERAL INFORMATION:

SL NO.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	AAKASH PUBLIC SCHOOL
2	AFFILIATION NO.(IF APPLICABLE)	2730733
3	SCHOOL CODE (IF APPLICABLE)	25392
4	COMPLETE ADDRESS WITH PIN CODE	B-32, ISHWAR COLONY, ARJUN PARK, SOUTH WEST DELHI-110043
5	PRINCIPAL NAME & QUALIFICATION:	MRS. NEENA GUPTA M.Sc. B.ED.
6	SCHOOL EMAIL ID	aakashpublicschool@gmail.com
7	CONTACT DETAILS (LANDLINE/MOBILE)	7880003232

B: DOCUMENTS AND INFORMATION:

SL NO.	DOCUMENTS/INFORMATION	UPLOAD DOCUMENTS
1	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY	Copy Enclosed
2	COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE	Copy Enclosed
3	COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BY THE STATE GOVT./UT	Copy of Enclosed
4	COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT, 2009, AND IT'S RENEWAL IF APPLICABLE	N.A.
5	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	Copy Enclosed
6	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	Copy Enclosed



"शिक्षा केन्द्र", 2, सामुदायिक केन्द्र, प्रीत विहार, दिल्ली-110092
"SHIKSHA KENDRA" 2, COMMUNITY CENTRE, PREET VIHAR, DELHI-110092

Phone (off.): 011-22509256-59, 22041807-08. Website: www.cbse.gov.in, www.cbse.nic.in

Sumeet Sharma
Manager
AAKASH PUBLIC SCHOOL
B-32, Ishwar Colony, Arjun Park, N. Delhi-43

Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043

केन्द्रीय माध्यमिक शिक्षा बोर्ड

(मानव संसाधन विकास मंत्रालय, भारत सरकार के अधीन एक स्वायत्त संगठन)

CENTRAL BOARD OF SECONDARY EDUCATION

(An Autonomous Organisation under the Ministry of Human Resource Development, Govt. of India)

7	COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATION OR SELF CERTIFICATION BY SCHOOL	Copy Enclosed
8	COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES	Copy Enclosed

NOTE: THE SCHOOLS NEEDS TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMENTS BY CHAIRMAN/MANAGER/SECRETARY AND PRINCIPAL. IN CASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOL SHALL BE LIABLE FOR ACTION AS PER NORMS.

C: RESULT AND ACADEMICS:


S.NO.	DOCUMENTS/INFORMATION	UPLOAD DOCUMENTS
1	FEE STRUCTURE OF THE SCHOOL	Copy Enclosed
2	ANNUAL ACADEMIC CALANDER.	Copy Enclosed
3	LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC)	Copy Enclosed
4	LIST OF PARENTS TEACHERS ASSOCIATION (PTA) MEMBERS	Copy Enclosed
5	LAST THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABILITY	Copy Enclosed

RESULT CLASS: X

S.NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1.	2021-22	44	44	100%	-
2.	2022-23	44	44	100%	-
3.	2023-24	32	31	96.8%	-

RESULT CLASS: XII

S.NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1.	2021-22	166	166	100%	-
2.	2022-23	120	113	94%	-
3.	2023-24	222	193	86.9%	-



"शिक्षा केन्द्र", 2, सामुदायिक केन्द्र, प्रीत विहार, दिल्ली-110092
"SHIKSHA KENDRA" 2, COMMUNITY CENTRE, PREET VIHAR, DELHI-110092

Phone (off.): 011-22509256-59, 22041807-08. Website: www.cbse.gov.in, www.cbse.nic.in

Sumeet Sharma
Manager
AAKASH PUBLIC SCHOOL
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043

Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043

केन्द्रीय माध्यमिक शिक्षा बोर्ड

(मानव संसाधन विकास मंत्रालय, भारत सरकार के अधीन एक स्वायत्त संगठन)

CENTRAL BOARD OF SECONDARY EDUCATION

(An Autonomous Organisation under the Ministry of Human Resource Development, Govt. of India)

D: STAFF (TEACHING)


S.NO.	INFORMATION	DETAILS
1	PRINCIPAL	01
2	TOTAL NO. OF TEACHERS	44
	o PGT	16
	o TGT	09
	o PRT	16
3	TEACHERS SECTION RATIO / Tr. Ratio - Student ratio	1:26
4	DETAILS OF SPECIAL EDUCATOR	1. NATASHA 2. VARSHA
5	DETAILS OF COUNSELLOR AND WELNESS TEACHER	-

E: SCHOOL INFRASTRUCTURE:

S.NO.	INFORMATION	DETAILS
1	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQUARE MTR)	4058 Sq.mtr.
2	NO. AND SIZE OF THE CLASS ROOMS (IN SQ FT/MTR)	55
3	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	05 70 sq mt
4	INTERNET FACILITY (Y/N)	Yes
5	NO. OF GIRLS TOILETS	25
6	NO. OF BOYS TOILETS	20 + 25 U.
7	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	-

Sumeet Sharma
Manager
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
Ishwar Colony, Arjun Park, N. Delhi-43

Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043



"शिक्षा केन्द्र", 2, सामुदायिक केन्द्र, प्रीत विहार, दिल्ली-110092
"SHIKSHA KENDRA" 2, COMMUNITY CENTRE, PREET VIHAR, DELHI-110092



Phone (off.) : 011-22509256-59, 22041807-08, Website: www.cbse.gov.in, www.cbse.nic.in



SARAS 5.0

School Affiliation Re-Engineered Automation System



LETTER DETAILS

NO : CBSE/2730733/EX-00989-2526/2025-26/ Dated: 31/03/2024

The Manager,
AAKASH PUB SCH ISHWAR CLNY ARJUN PARK B32 ND
ISHWAR COLONY, ARJUN PARK B-32
DELHI, SOUTH WEST DELHI, 110043
(M: 91-7880003131)

**SUBJECT: -Extension of General Affiliation up to Senior
Secondary Level .**

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	2730733
School No	25392
Affiliated for	Extension of General Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2024 to 31.03.2030

Principal

The above sanction is subject to fulfillment of following conditions

- The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws- 2018.
- The school shall follow all the provisions of Affiliation Bye-Laws 2018, Examination Bye-Laws, circulars, guidelines and other amendments issued from time to time by the Board.
- The School shall possess following valid mandatory documents at all times :
 - No Objection Certificate

AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043

Manager

AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK, N. Delhi-43



CERTIFICATE OF REGISTRATION

SOCIETIES REGISTRATION ACT XXI OF 1860

Registration No. S. 37179 C. 2000

I hereby certify that GURU DHAM EDUCATIONAL & WELFARE SOCIETY
located at A-37 RAM NAGAR
OM VIHAR UTTAM NAGAR NEW DELHI-59,
has been registered under the "SOCIETIES REGISTRATION ACT-XXI of 1860".

Given under my hand at DELHI on this 5TH day
of JUNE Two Thousand.

Registration Fee of Rs. 50/- paid

Seal
Registrar of Societies
Delhi

Gen. Secretary / President
GURUDHAM EDUCATIONAL & WELFARE SOCIETY
A-37, Ram Nagar (Om Vihar)

AAKASH PUBLIC SCHOOL
(Sr. Sec. Recognised & Affiliated to C.B.S.E.)
New Delhi-110043

Gen. Secretary / President
GURUDHAM EDUCATIONAL & WELFARE SOCIETY
A-37, Ram Nagar (Om Vihar)
New Delhi-110046
SKV No. 1 Sagarput
New Delhi-110046

REGISTRAR OF SOCIETIES
Govt. of N.C.T. of Delhi.
ATTESTED TRUE COPY

Principal
Gagan Bharti Sr. Sec. School
Om Vihar, New Delhi-110046

AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043

GOVERNMENT OF N.C.T. OF DELHI
OFFICE OF THE DY. DIRECTOR OF EDUCATION
DISTRICT SOUTH WEST (B-II) NAJAFGARH, NEW DELHI-110043

No. F. 54(10)/DDE/SW-B-II/Zone-22/Misc/2022/828

Dated: 26/12/2022

To

The Manager/Principal,
Aakash Public School,
Ishwar Colony, Arjun Park, New Delhi-0110043.

Sub: - Approval for grant of Extension of Provisional Recognition from class Pre School (with 04 sections @ 40 student) to Sr. Secondary Level (Art, Commerce and Science Streams) under DSEAR, 1973 beyond 31.03.2016 to 31.03.2024 in r/o Aakash Public School, Ishwar Colony, Arjun Park, New Delhi-0110043.

I am directed to convey the approval of the Competent authority for grant of **Extension of Provisional Recognition from class Pre School (with 04 sections @ 40 student) to Sr. Secondary Level (Art, Commerce and Science Streams) under DSEAR, 1973 beyond 31.03.2016 to 31.03.2024 in r/o Aakash Public School, Ishwar Colony, Arjun Park, New Delhi-0110043.** subject to following terms & conditions:-

1. Final outcome of Notification to be issued by MoUD, GOI.
2. That the school shall observe the relevant provisions of RTE Act, 2009, DSEAR Act, 1973 and directions/instructions issued by the Department from time to time.
3. That the school shall comply with the orders dated 07/11/2017/ guidelines of DoE and judicial pronouncement w.r.t. safety and security of the school children and take all steps to the effect.
4. That the school shall comply with the provisions of Section 10(1) read with Rule 125 of DSEAR, 1973.
5. That the school shall make payment of salary and other admissible allowances to its teaching/non teaching as per ongoing CPC through bank/RTGS.
6. That the school shall appoint 2nd special educator within 02 months and submit the documents to the district authority.
7. That the school shall submit the fresh Fire Safety Certificate issued by Delhi Fire Service within 02 months to the district authority.


(ANANT RAM MEENA)

DY. DIRECTOR OF EDUCATION (ZONE-22)
DISTT. SOUTHWEST-B-II

Dated: 26/12/2022

No. F. 54(10)/DDE/SW-B-II/Zone-22/Misc/2022/826


Copy to the following for their information & necessary action please:


1. PA to Director of Education, Old Sectt, Delhi.
2. Add. DE(School), Dte. of Education.
3. DDE(Plg.)Dte. of Education, Timarpur, Delhi.
4. DDE(Act), Old Sectt. Delhi.
5. Secretary, CBSE, Patparganj, Delhi
6. Office copy


(ANANT RAM MEENA)

DY. DIRECTOR OF EDUCATION (ZONE-22)
DISTT. SOUTHWEST-B-II


Manager
AAKASH PUBLIC SCHOOL
(Sr. Sec. Recognised & Affiliated to C.B.S.E.)
Ishwar Colony, Arjun Park, N. Delhi-43


Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043



South Delhi Municipal Corporation
Office of the Executive Engineer, M-I
Najafgarh Zone
Near Delhi Gate Najafgarh, New Delhi - 43

No. AE (M-I)-NGZ/SDMC/2014-15/ 954


Dated: 18.12.14

Structural Stability Certificate

This is in reference to letter received in this office vide dairy No. 652/AE-I dated 18.12.2014 wherein Aakash Public School, Ishwar Colony, Arjun Park, New Delhi 110043, has applied for Structural safety Certificate.


In this regard, it is stated that the building of Aakash Public School, Ishwar Colony, Arjun Park, New Delhi 110043 was inspected as per the drawing supplied to this office and it is found that the building is structurally safe as per the appearance and site verification". The Certificate is based on the certificate issued by the Architects Group (Sharma & Associates), Regn. No. MCD LIC No. S-1192/97, Seat No. 4-C, Pst Office Lane, Tis Hazar Courts, Delhi - 110054. This is further subject to necessary permission/ NOC from EE(Building) for building bye-laws, Delhi Fire Service, Delhi Police and Delhi Jal Board etc.

Aakash Public School,
Ishwar Colony, Arjun Park,
New Delhi 110043


Asstt. Engineer M-I
Najafgarh Zone/SDMC

(M. P. D. S. D.)
AE-M-I-NGZ/N. D.


Manager
AAKASH PUBLIC SCHOOL
(Sr. Sec. Recognised & Affiliated to C.B.S.E.)
Ishwar Colony, Arjun Park, N. Delhi-43


Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE
NEW DELHI-110 001.

No.F.6/DFS/MS/School/2023/SZ/39

Dated: 18/01/2023

FIRE SAFETY CERTIFICATE

Certified that the **Aakash Public School**, Ishwar Colony, Arjun Park, New Delhi-110043, comprised of ground floor plus three upper floors (third floor having single hall only on terrace not in use and closed), owned/occupied by Aakash Public School was issued Fire Safety Certificate by this department vide letter No. F.6/DFS/MS/School/2019/SZ/1970 dated 15/10/2019. The School building was re-inspected by the officer concerned of this department on 06/01/2023 in the presence of Mr. Sumcet Sharma (Manager) and found that the School building have deemed complied the fire prevention and fire safety requirements in accordance with Rule 33 of the Delhi Fire Service Rules 2010 and that the building/ premises (Ground floor, First floor & Second floor) is fit for occupancy class "Educational" for a period of three years in accordance with Rule 36 unless renewed under Rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under Rule-38 of the Delhi Fire Service Rules, 2010 printed as below.

Issued on.....18/01/2023..... at New Delhi.


(SUNIL CHAUDHARY)
DY. CHIEF FIRE OFFICER
SOUTH ZONE

Copy to:-

1. The Manager,
Aakash Public School,
Ishwar Colony, Arjun Park, New Delhi-110043
2. Director of Education,
Govt. of NCT of Delhi, Old Secretariat,
New Delhi-110054.

Following fire safety directives must be adhered to:-

1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
2. The means of escape shall be kept unlocked and unobstructed for unhindered evacuation of occupants in case of emergency.
3. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
4. The trained staff should be available round the clock.
5. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
6. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
7. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in.
8. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in the Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.
9. In case of usage of third floor for schooling purpose then this FSC will be null and void.


Manager
AAKASH PUBLIC SCHOOL
(Sr. Sec. Recognised & Affiliated to C.B.S.E.)
Ishwar Colony, Arjun Park, N. Delhi-43


Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043



AAKASH PUBLIC SCHOOL

(Sr. Sec. Recognised & Affiliated to C.B.S.E.)

Ishwar Colony, Arjun Park, New Delhi-110043

Ph. : 788 000 3131, 788 000 3232

Ref. No. APS / F-MDB/2025

Dated 01-02-2025


CERTIFICATE

I, SUMEET SHARMA, MANAGER OF AAKASH PUBLIC SCHOOL,
B-32, ISHWAR COLONY, ARJUN PARK, NEW DELHI-110043
CERTIFIED THAT OUR SCHOOL IS RECOGNISED BY DIRECTORATE
OF EDUCATION, GNCT DELHI UPTO SR. SEC. LEVEL AND
AFFILIATED BY CBSE WITH ALL THREE STREAMS UPTO
31ST MARCH 2030.

Sumeet Sharma
Manager
AAKASH PUBLIC SCHOOL
(Sr. Sec. Recognised & Affiliated to C.B.S.E.)
Ishwar Colony, Arjun Park, N. Delhi-43



DELHI JAL BOARD
(GOVT. OF N.C.T. DELHI)
QUALITY CONTROL LABORATORY,
WATER TREATMENT PLANT NANGLOI , DELHI-110041



Water Samples collected from "Aakash Public School" Ishwar Colony, Arjun Park, New Delhi – 110043 Vide
hallan no:-196 dated:- 11.03.2024

1:- Drinking Point at above site.

S. No	Parameter	Units	Limit		S1
			Acceptable	Permissible	
PHYSICAL EXAMINATION					
1.	Date of collection	-----	--	--	13.04.2024
2.	Date of Analysis	-----	--	--	17.04.2024
3.	Colour	Hazen	5.0	15	Clear
4.	Odour	-----	No. Objectionable		No Obj.
5.	Turbidity	N.T.U.	1.0	5.0	1.02
6.	PH value	-----	6.5	8.5	7.0
7.	Electrical Conductivity	µmho	--	--	194.4
8.	Total dissolved solids	mg/l	500	2000	126.3
CHEMICAL EXAMINATION					
9.	P th Alkalinity	mg/l	--	--	NIL
10.	Total Alkalinity	mg/l	200	600	50
11.	Total Hardness	mg/l	200	600	56
12.	Calcium Hardness	mg/l	--	--	30
13.	Magnesium Hardness	mg/l	--	--	26
14.	Calcium as Ca	mg/l	75	200	12
15.	Magnesium as Mg	mg/l	30	100	6.2
16.	Ammonia as N	mg/l	0.5	N.R.	NIL
17.	Nitrite as N	mg/l	---	--	NIL
18.	Nitrate as No ₃	mg/l	45	N.R.	-
19.	Sulphate	mg/l	200	400	16
20.	Chloride	mg/l	250	1000	28
21.	Dissolved Iron	mg/l	0.3	N.R.	0.04
22.	Fluoride	mg/l	1	1.5	0.12
23.	Cyanide	mg/l	0.05	N.R.	ND
24.	Residual Chlorine	mg/l	0.20	1.0	NIL
BACTERIOLOGICAL EXAMINATION					
25.	Coli-form per 100 ml at 37°C	MPN	0		0

REMARKS: As per tested parameters Sample –S1 can be used for drinking purpose.

ACWA

Asstt. Chief Water Analyst
DELHI JAL BOARD
Govt. of N.C.T. Delhi
Quality Control Laboratory
Water Works Nangloi, Delhi-41

BACT.


Manager
AAKASH PUBLIC SCHOOL
(Sr Sec. Recognised & Affiliated to C.B.S.E.)
Ishwar Colony, Arjun Park, N. Delhi-43

A/CHEMIST

Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043



South Delhi Municipal Corporation
Office of Deputy Health Officer
Najafgarh Zone



No: DHO/NGZ/SDMC/2022/D- 850

Dated 4/4/2022

1. Name of the School **AAKASH PUBLIC SCHOOL**
2. School Address **ISHWAR COLONY, ARJUN PARK NEW DELHI-110043.**
3. No. of Shift **ONE** Timing **08:00 AM TO 01:40 PM**
4. No. of Students: **Boys 575 Girls 487 Total =1062**
5. No. of Staffs: **Male 3 Female 22 Total = 25**

Details of Accommodations present in School

1. Floor Space in the Classroom Sufficient/insufficient **SUFFICIENT**
2. The Classrooms are Well Lighted/ ill lighted **WELL LIGHTED**
3. The Classrooms are Well Ventilated/ ill ventilated **WELL VENTILATED**
4. The Classrooms are kept / Not kept Neat & Clean: **NEAT AND CLEAN**
5. The Classrooms/Building requires/does not required Whitewash etc. **NOT REQUIRED**
6. The Drinking Water is Wholesome/ not wholesome **WHOLESOME**
7. The Latrine arrangement is Sanitary/ insanitary **SANITARY FROM HEALTH POINT OF VIEW.**

No. of toilets seats for student

1. One latrine-cum-urinal is required for 25 female student, so total is **SUFFICIENT**
2. One latrine for 40 male student is required so total is **SUFFICIENT**
3. Separate Toilet arrangement for staff present: Yes/No **YES SEPARATE EXISTS FOR STAFF.**
4. The Overall facilities: Good/ Adequate/Inadequate **V.GOOD FROM HEALTH POINT OF VIEW.**

If building Department or any other govt. agency takes actions against u/a construction or any dispute, then the Health Certificate will be stand cancelled /revoked without any further intimation in this regard

Suresh Sharma
Manager
AAKASH PUBLIC SCHOOL
(Sr. Sec. Recognised & Affiliated to C.B.S.E.)
Ishwar Colony, Arjun Park, N. Delhi-43

Deputy Health Officer
Deputy Health Officer
S.D.M.C Najafgarh Zone

(Remarks: This Certificate is valid for one year from the date of issue and this has no bearing on any unauthorized construction)

Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
5-52, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043



AAKASH PUBLIC SCHOOL

(Sr. Sec. Recognised & Affiliated to C.B.S.E.)

Ishwar Colony, Arjun Park, New Delhi-110043

Ph. : 788 000 3131, 788 000 3232

Ref. No. APS/F-1008/2025

Dated... 01.02.2025

DETAIL OF FEE & OTHER CHARGES FOR THE YEAR 2024-25

CLASSES	TUTION FEE (IN RS.)2024-25
PRE-SCHOOL TO V	3000
VI	3240
VII	3240
VIII	3240
IX	3880
X	4860
XI	5560
XII	6190

Registration fees: 25/-At the time of Registration

Admission fees: 200/- At the time of Admission

Science Fee: Rs. 770/- (XI to XII Class)

Computer Science fee: Rs.660-(IX to XII Class) P.M.

Re Admission fee: 200/-

Late fee: Rs.10/-After 10th Day of the month

Rs.20/-After 20th Day of the month

Rs.100/-Per month after the month

Cheque Dishonour charges: 750/-

Development charges: 15% of Tuition fee P.A.

Smart class fee: 180/- Per Month

Sumit Sharma
Manager
AAKASH PUBLIC SCHOOL
(Sr. Sec. Recognised & affiliated to C.B.S.E.)
Ishwar Colony, Arjun Park, N. Delhi-43

[Signature]
Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY ARJUN PARK
NEW DELHI-110043



AAKASH PUBLIC SCHOOL

(Sr. Sec. Recognised & Affiliated to C.B.S.E.)

Ishwar Colony, Arjun Park, New Delhi-110043

Ph. : 788 000 3131, 788 000 3232

Ref. No. APS/A-CBSE/2024

Dated. 01-02-2024

LIST OF MANAGING COMMITTEE MEMBERS

S.NO.	NAME	DESIGNATION
1.	SH. RAJEEV AGGARWAL	CHAIRMAN
2.	SH. Y.P.PURANG	VICE-CHAIRMAN
3.	Mr. SUMEET SHARMA	MANAGER
4.	SH. VISHAL GUPTA	MEMBER
5.	SMT. DARSHNA	MEMBER
6.	MRS. PUNAM GUPTA	MEMBER
7.	MR. YOGESH YADAV	MEMBER
8.	SH. DESHBANDU	MEMBER
9.	SH. RAJEEV TYAGI	MEMBER
10.	SH. ASHOK KUMAR KAUL	MEMBER
11.	SH. ARUN VATS	MEMBER
12.	SH. BAJRANG LAL GARG	MEMBER
13.	MR.KALA NAND	MEMBER
14.	MRS. SMRITI SHARMA	PTA MEMBER
15.	MRS. VARUNA VERMA	TEACHER MEMBER
16.	MR. KARAMVIR	TEACHER MEMBER
17.	SMT.NEENA GUPTA	PRINCIPAL, AAKASH PUBLIC SCHOOL
18.	HOS, GGSS, NANGLI SAKRAWATI(SCHOOL ID. : 1822245)	DE NOMINEE
19.	HOS, G. Co-ed.SV, DICHAN KALAN (SCHOOL ID : 1822262)	DE NOMINEE
20.	HOS, GBSSS, DHANSA (SCHOOL ID: 1822014)	A.B. NOMINEE
21.	HOS, GBSSS NO.-1, NAJAFGARH (SCHOOL ID.: 1822063)	A.B. NOMINEE

Sumeet Sharma
Manager
AAKASH PUBLIC SCHOOL
(Sr. Sec. Recognised & Affiliated to C.B.S.E.)
Ishwar Colony, Arjun Park, N. Delhi-43

[Signature]
Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043



AAKASH PUBLIC SCHOOL

(Sr. Sec. Recognised & Affiliated to C.B.S.E.)

Ishwar Colony, Arjun Park, New Delhi-110043

Ph. : 788 000 3131, 788 000 3232

Ref. No. APS/JF-MDP/2024-25

Dated. 01.02.2025

LIST OF PTA MEMBERS

S.NO	NAME OF MEMBERS	DESIGNATION
1.	MRS.NEENA GUPTA	PRINCIPAL
2.	MRS.SMRITI SHARMA	G.SECRETARY
3.	SH.VIKAS GUPTA	EXECUTIVE MEMBER
4.	SH.RAJESH PAUL	EXECUTIVE MEMBER
5.	SH.SUSHIL GAUTAM	EXECUTIVE MEMBER
6.	MR.KARAMVIR	EXECUTIVE MEMBER

Sumeet Sharma
Manager
AAKASH PUBLIC SCHOOL
(Sr. Sec. Recognised & Affiliated to C.B.S.E.)
Ishwar Colony, Arjun Park, N. Delhi-43

[Signature]
Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043



AAKASH PUBLIC SCHOOL

(Sr. Sec. Recognised & Affiliated to C.B.S.E.)

Ishwar Colony, Arjun Park, New Delhi-110043

Ph. : 788 000 3131, 788 000 3232

Ref. No. APS/F-MDF/2025

Dated 01.02.2025

LAST THREE YEARS RESULT OF THE BOARD EXAMINATION

RESULT CLASS : X

S.NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE
1.	2021-22	44	44	100%
2.	2022-23	44	44	100%
3.	2023-24	32	31	96.8%

RESULT CLASS : XII

S.NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE
1.	2021-22	166	166	100%
2.	2022-23	120	113	94%
3.	2023-24	222	193	86.9%

Sumeet Sharma
Manager
AAKASH PUBLIC SCHOOL
(Sr. Sec. Recognised & Affiliated to C.B.S.E.)
Ishwar Colony, Arjun Park, N. Delhi-43

[Signature]
Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043

SCHEDULE OF EXAMINATIONS

SESSION- 2024-25

S. No.	Date	Class	Specification of UT/ Exams
1.	20/06/24 to 28/06/24	X & XII	FIRST PERIODIC TEST
2.	15/07/2024 to 20/07/2024	PRE-SCHOOL to IX	FIRST UNIT TEST
3.	19/09/2024 to 30/09/2024	PRE-SCHOOL to XII	MID TERM EXAMS
4.	21/11/2024 to 27/11/2024	PRE-SCHOOL to VIII	SECOND UNIT TEST
5.	16/12/2024 to 26/12/2024	X & XII	FIRST PRE-BOARD EXAMS
6.	15/01/2025 to 24/01/2025	X & XII	SECOND PRE-BOARD EXAMS
7.	15/01/2025 to 24/01/2025	IX & XI	PRE-ANNUAL EXAMS
8.	22/02/2025 to 14/03/2025	PRE-SCHOOL to IX & XI	ANNUAL EXAMS

Suneet Sharma
Manager
AAKASH PUBLIC SCHOOL
(Sr. Sec. Recognised & Affiliated to C.B.S.E.)
Ishwar Colony, Arjun Park, N. Delhi-43

[Signature]
Principal
AAKASH PUBLIC SCHOOL
Sr. Sec. Recognised & Affiliated to C.B.S.E.
B-32, ISHWAR COLONY, ARJUN PARK,
NEW DELHI-110043